

**Rassegna di pubblicazioni degli Esperti e Collaboratori del GdL-MIE  
che hanno partecipato alla stesura del volume  
“Inquinanti Emergenti”  
(2020)**

Rassegna curata da: Gianni Tartari, LE2C/CNR-IRSA

Totale pubblicazioni: 255

Periodo considerato dalla rassegna: 1992-2020

Elenco aggiornato al: aprile 2020

Nota: le due pubblicazioni indicate con \* sono state accettate per la pubblicazione o edite dopo il 30 aprile 2020 e non sono rientrate nella rassegna riportata in Appendice 1 del volume.

--- 000 ---

- Ademollo N., Capri S., Patrolecco L., Puddu A., Polesello S., Rusconi M., Valsecchi S., Froebrich J. 2011. Fate and monitoring of hazardous substances in temporary rivers, *Trends in Analytical Chemistry*, 30(8): 1222-1232. DOI: [10.1016/j.trac.2011.05.002](https://doi.org/10.1016/j.trac.2011.05.002)
- Ademollo N., Patrolecco L., Matozzo V., Marin M.G., Valsecchi S., Polesello S. 2017. Clam bioaccumulation of Alkylphenols and Polycyclic aromatic hydrocarbons in the Venice lagoon under different pressures, *Marine Pollution Bulletin*, 124(1): 121-129. DOI: [10.1016/j.marpolbul.2017.07.020](https://doi.org/10.1016/j.marpolbul.2017.07.020)
- Ademollo N., Patrolecco L., Polesello S., Valsecchi S., Wollgast J., Mariani G., Hanke G. 2012. The analytical problem of measuring total concentrations of organic pollutants in whole water. *Trends in Analytical Chemistry*, 36: 71-81. DOI: [10.1016/j.trac.2012.01.008](https://doi.org/10.1016/j.trac.2012.01.008)
- Antonelli M., Azzellino A., Ficara E., Piazzoli A., Saccani G. 2017. Knowledge-based planning of groundwater treatment trains for an efficient drinking water supply system in urban areas. *Water Science and Technology. Water Supply*, 17(4): 1133-1139. DOI: [10.2166/ws.2017.011](https://doi.org/10.2166/ws.2017.011)
- Barra Caracciolo A., Giuliano G., Grenni P., Guzzella L., Pozzoni F., Bottoni P., Fava L., Crobe A., Orrù M., Funari E. 2005. Degradation and leaching of the herbicides metolachlor and diuron: a case study in an area of Northern Italy. *Environmetal Pollution*, 134(3): 525-534. Doi: [10.1016/j.envpol.2004.08.014](https://doi.org/10.1016/j.envpol.2004.08.014)
- Benvenuto F., Marín J.M., Rancho V.J., Canobbio S., Mezzanotte V., Hernández F. 2010. Simultaneous determination of triazines and their main transformation products in surface and urban wastewater by ultra-high-pressure liquid chromatography-tandem mass spectrometry. *Analytical Bioanalytical Chemistry*, 397: 2791-2805. DOI [10.1007/s00216-010-3712-x](https://doi.org/10.1007/s00216-010-3712-x)
- Bertanza G., Papa M., Pedrazzani R., Repice C., Dal Grande M. 2013. Tertiary ozonation of industrial wastewater for the removal of estrogenic compounds (NP and BPA): a full scale case study. *Water Science and Technology*, 68(3): 567-574. DOI: [10.2166/wst.2013.282](https://doi.org/10.2166/wst.2013.282)
- Bertanza G., Papa M., Pedrazzani R., Repice C., Mazzoleni G., Steinberg N., Feretti D., Ceretti E., Zerbini I. 2013. EDCs, estrogenicity and genotoxicity reduction in a mixed (domestic + textile) secondary effluent by means of ozonation: a full-scale experience. *Science of the Total Environment*, 458-460: 160-168. DOI: [10.1016/j.scitotenv.2013.03.108](https://doi.org/10.1016/j.scitotenv.2013.03.108)
- Bertanza G., Pedrazzani R. 2005. Endocrine disrupting compound (EDCs) in landfill leachate. Proc. Tenth International Waste Management and Landfill Symposium, S. Margherita di Pula (CA), Italy, 3-7 October.
- Bertanza G., Pedrazzani R. 2007. Presence of EDCs (Endocrine Disrupting Compounds) in landfill leachate and municipal wastewaters. In: M. Pawłowska, L. Pawłowski (Eds) "Management of Pollutant Emission from Landfills and Sludge", Taylor & Francis, UK, ISBN-13: 978-0-415-43337-2.
- Bertanza G., Pedrazzani R. 2012. Removal of trace pollutants by application of MBR technology for wastewater treatment. In: G. Lofrano (Ed.), "Green technologies for wastewater treatment. Energy

recovery and emerging compounds removal", Springer, ISBN 978-94-007-1429-8. DOI [10.1007/978-94-007-1430-4\\_31-43](https://doi.org/10.1007/978-94-007-1430-4_31-43).

- Bertanza G., Pedrazzani R., Dal Grande M., Papa M., Zambarda V., Montani C., Steinberg N., Mazzoleni G., Di Lorenzo D. 2011. Effect of biological and chemical oxidation on the removal of estrogenic compounds (NP and BPA) from wastewater: An integrated assessment procedure. *Water Research*, 45: 2473–2484. DOI: [10.1016/j.watres.2011.01.026](https://doi.org/10.1016/j.watres.2011.01.026)
- Bertanza G., Pedrazzani R., Papa M., Mazzoleni G., Steinberg N., Caimi L., Montani C., Dilorenzo D. 2010. Removal of BPA and NPnEOs from secondary effluents of municipal WWTPs by means of ozonation. *Ozone-Sci. Eng.*, 32(3): 204-208. DOI: [10.1080/01919511003795303](https://doi.org/10.1080/01919511003795303)
- Bertanza G., Pedrazzani R., Zambarda V., Dal Grande M., Icarelli F., Baldassarre L. 2010. Removal of endocrine disrupting compounds from wastewater treatment plant effluents by means of advanced oxidation. *Water Science and Technology*, 61(7): 1663-1671.
- Bettinetti R., Guzzella L., Galassi S., Quadronia S., Volta P. 2010. The role of Zooplankton in DDT Biomagnification in a Pelagic Food web of Lake Maggiore (Northern Italy). *Environmental Science and Pollution Research*, 17: 1508-1518. DOI: [10.1007/s11356-010-0337-8](https://doi.org/10.1007/s11356-010-0337-8)
- Bettinetti R., Quadroni S., Manca M., Piscia R., Volta P., Guzzella L., Roscioli C., Galassi S. 2012. Seasonal Fluctuations of DDTs and PCBs in Zooplankton and Fish of Lake Maggiore (Northern Italy). *Chemosphere*, 88: 344-351. DOI: [10.1016/j.chemosphere.2012.03.009](https://doi.org/10.1016/j.chemosphere.2012.03.009)
- Binelli A., Bacchetta R., Mantecca P., Ricciardi F., Provini A., Vailati G. 2004. DDT in zebra mussels from Lake Maggiore: level of contamination and endocrine disruptions. *Aquatic Toxicology*, 69(2): 175-188. DOI: [10.1016/j.aquatox.2004.05.005](https://doi.org/10.1016/j.aquatox.2004.05.005)
- Binelli A., Bacchetta R., Vailati G., Galassi S., Provini A. 2001. DDT contamination in Lake Maggiore (N. Italy) and effects on zebra mussel spawning. *Chemosphere*, 45(4-5): 409-415.
- Binelli A., Cogni D., Parolini M., Riva C., Provini A. 2009. Cytotoxic and genotoxic effects of in vitro exposures to triclosan and trimethoprim on zebra mussel (*D. polymorpha*) hemocytes. *Comparative Biochemistry and Physiology – Part C*, 150: 50-56. doi:[10.1016/j.cbpc.2009.02.005](https://doi.org/10.1016/j.cbpc.2009.02.005)
- Binelli A., Cogni D., Parolini M., Riva C., Provini A. 2009. In vivo experiments for the evaluation of genotoxic and cytotoxic effects of Triclosan in Zebra mussel hemocytes. *Aquatic Toxicology*, 91: 238-244. DOI:[10.1016/j.aquatox.2008.11.008](https://doi.org/10.1016/j.aquatox.2008.11.008)
- Binelli A., Del Giacco L., Santo N., Bini L., Magni S., Parolini M., Madaschi L., Ghilardi A., Maggioni D., Ascagni M., Armini A., Prospieri L., Landi L., La Porta C., Della Torre C. 2017. Carbon nanopowder acts as a Trojan-horse for benzo(a)pyrene in *Danio rerio* embryos. *Nanotoxicology*, 11 (3): 371-381.
- Binelli A., Galassi S., Provini A. 2001. Factors affecting the use of *Dreissena polymorpha* as a bioindicator: the PCB pollution in Lake Como (N. Italy). *Water, Air and Soil Pollution*, 125(1-4): 19-25.
- Binelli A., Guzzella L., Roscioli C. 2008. Levels and congener profiles of polybrominated diphenyl ethers (PBDEs) in Zebra mussels (*D. polymorpha*) from Lake Maggiore (Italy). *Environmental Pollution*, 153: 610-617. DOI:[10.1016/j.envpol.2007.09.007](https://doi.org/10.1016/j.envpol.2007.09.007)
- Binelli A., Magni S., Soave C., Marazzi F., Zuccato E., Castiglioni S., Parolini M., Mezzanotte V. 2014. The biofiltration process by the bivalve *D. polymorpha* for the removal of some pharmaceuticals and drugs of abuse from civil wastewaters. *Ecological Engineering*, 71, 710–721. DOI: [10.1016/j.ecoleng.2014.08.004](https://doi.org/10.1016/j.ecoleng.2014.08.004)
- Binelli A., Marisa I., Fedorova M., Hoffmann R., Riva C. 2013. First evidence of protein profile alteration due to the main cocaine metabolite (benzoylecgonine) in a freshwater biological model. *Aquatic Toxicology*, 140-141: 268-278. DOI: [10.1016/j.aquatox.2013.06.013](https://doi.org/10.1016/j.aquatox.2013.06.013)
- Binelli A., Parolini M., Cogni D., Pedriali A., Provini A. 2009. A multi-biomarker assessment of the impact of the antibacterial trimethoprim on the non-target organism zebra mussel (*Dreissena polymorpha*). *Comparative Biochemistry and Physiology – Part C*, 150: 329-336. DOI: [10.1016/j.cbpc.2009.05.011](https://doi.org/10.1016/j.cbpc.2009.05.011)
- Binelli A., Parolini M., Pedriali A., Provini A. 2011. Antioxidant activity in the Zebra mussel (*Dreissena polymorpha*) in response to Triclosan exposure. *Water, Air and Soil Pollution* 217: 421-430. DOI: [10.1007/s11270-010-0597-4](https://doi.org/10.1007/s11270-010-0597-4)

- Binelli A., Pedriali A., Riva C., Parolini M. 2012. Illicit drugs as new environmental pollutants: cyto-genotoxic effects of cocaine on the biological model *Dreissena polymorpha*. *Chemosphere*, 86: 906-911. DOI: 10.1016/j.chemosphere.2011.10.056
- Binelli A., Pietrelli L., Di Vito S., Coscia L., Sighicelli M., Della Torre C., Parenti C.C., Magni S. 2020. Hazard evaluation of plastic mixtures from four Italian subalpine great lakes on the basis of laboratory exposures of zebra mussels. *Science of the Total Environment*, 699: 134366. DOI: 10.1016/j.scitotenv.2019.134366
- Binelli A., Provini A. 2003. DDT is still a problem in developed Countries: the heavy pollution of Lake Maggiore. *Chemosphere*, 52(4): 717-723. DOI: 10.1016/S0045-6535(03)00188-7
- Binelli A., Provini A. 2003. POP in edible clams from different Italian and European markets and possible risk for human health. *Marine Pollution Bulletin*, 46(7): 879-886. DOI: 10.1016/S0025-326X(03)00043-2
- Binelli A., Provini A. 2003. The PCB pollution of L. Iseo (N. Italy) and the role of biomagnification in the pelagic food web. *Chemosphere*, 53(2): 143-151.
- Binelli A., Provini A. 2004. Risk for human health of some POPs due to fish from Lake Iseo (N. Italy). *Ecotoxicology and Environmental Safety*, 58(1): 139-145. DOI: 10.1016/j.ecoenv.2003.09.014
- Binelli A., Ricciardi F., Provini A. 2004. Present status of POP contamination in Lake Maggiore (Italy). *Chemosphere*, 57(1): 27-34. DOI: 10.1016/j.chemosphere.2004.05.006
- Binelli A., Ricciardi F., Riva C., Provini A. 2005. Screening of POP pollution by AChE and EROD activities in Zebra mussels from the Italian great lakes. *Chemosphere*, 61(8): 1074-1082. DOI: 10.1016/j.chemosphere.2005.03.047
- Binelli A., Ricciardi F., Riva C., Provini A. 2006. New evidences for old biomarkers: effects of several xenobiotics on EROD and AChE activities in Zebra mussel (*D. polymorpha*). *Chemosphere*, 62 (4): 510-519. DOI: 10.1016/j.chemosphere.2005.06.033
- Binelli A., Riva C., Cogni D., Provini A. 2008. Assessment of the genotoxic potential of benzo(a)pyrene and pp'-dichlorodiphenyldichloroethylene in Zebra mussel (*Dreissena polymorpha*). *Mutation Research*, 649: 135-145. DOI: 10.1016/j.mrgentox.2007.08.011
- Binelli A., Riva C., Cogni D., Provini A. 2008. Genotoxic effects of p,p'-DDT (1,1,1-trichloro-2,2-bis(chlorophenyl)ethane) and its metabolites in Zebra mussel (*D. polymorpha*) by SCGE assay and micronucleus test. *Environmental and Molecular Mutagenesis*, 49: 406-415. DOI: 10.1002/em.20400
- Binelli A., Roscioli C., Guzzella L. 2006. Improvements in the analysis of decabromodiphenyl ether using on-column injection and electron-capture detection. *J. Chromatography, A*, 1136: 243-247. DOI: 10.1016/j.chroma.2006.10.047
- Binelli A., Sarkar S., Chatterjee M., Riva C., Parolini M., Bhattacharya B., Bhattacharya A.K., Satpathy K.K. 2009. Congener profiles of polychlorinated biphenyls (PCBs) in core sediments of Sunderban mangrove wetland (N.E. India) and their ecotoxicological significance. *Environmental Monitoring and Assessment*, 153(1): 221-234. DOI: 10.1007/s10661-008-0351-1
- Binelli A., Sarkar S.K., Chatterjee M., Riva C., Parolini M., Bhattacharya B., Bhattacharya K., Satpathy K.K. 2007. Concentration of Polybrominated diphenyl ethers (PBDEs) in sediment cores of Sundarban mangrove wetland, northeastern part of Bay of Bengal (India). *Marine Pollution Bulletin*, 54: 1220-1229. DOI: 10.1016/j.marpolbul.2007.03.021
- Bodini S.F., Malizia M., Tortelli A., Sanfilippo L., Zhou X., Arosio R., Bernasconi M., Di Lucia S., Manenti A., Moscetta P. 2018. Evaluation of a novel automated water analyzer for continuous monitoring of toxicity and chemical parameters in municipal water supply. *Ecotoxicology and Environmental Safety*, 157: 335342. DOI: 10.1016/j.ecoenv.2018.03.057
- Bogialli S., Polesello S., Valsecchi S. 2014. 9. Quality Issues in Water Sampling, Sample Pre-Treatment and Monitoring. In: D.A. Lambropoulou, L.M.L. Nollet (Eds). "Transformation Products of Emerging Contaminants in the Environment: Analysis, Processes, Occurrence, Effects and Risks". First Edition. Publ. by John Wiley & Sons, Ltd. 283-302. ISBN 978-1-118-33959-6

- Boix C., Ibáñez M., Bagnati R., Zuccato E., Sancho J.V., Hernández F., Castiglioni S. 2016. High Resolution Mass Spectrometry to Investigate Omeprazole and Venlafaxine Metabolites in Wastewater. *J. Hazard. Mater.*, 302: 332-340. DOI: 10.1016/j.jhazmat.2015.09.059
- Bottero S., Cevasco A., Monteverde M., Pedemonte F., Bertolotti R., Viganò L., Mandich A., Massari A.. 2005. In Vivo and In Vitro Exposures of Carp and Carp Tissues to Graded Concentrations of Endocrine Disrupting Chemicals *Ann. N.Y. Acad. Sci.*, 1040: 234–238. DOI: 10.1196/annals.1327.032
- Bouju H., Buttiglieri G., Malpei F. 2008. Perspectives of Persistent Organic Pollutants (POPs) removal in an MBR pilot plant. *Desalination*, 224: 1-6. DOI: 10.1016/j.desal.2007.04.071
- Bouju H., Buttiglieri G., Malpei F. 2008. The use of microcalorimetry to compare the biological activity of a CAS and a MBR sludge - Application to Pharmaceutical Active Compounds. *Water Science & Technology*, 58(3): 529-535.
- Bouju H., Hommes G., Wintgens T., Malpei F., Corvini P.F.X. 2011. The fate of <sup>14</sup>C-radiolabelled diclofenac and 4' hydroxydiclofenac in membrane bioreactor treatment of wastewater. *Water Science and Technology*, 63: 2878- 2885. DOI: 10.2166/wst.2011.523
- Buttiglieri G., Bouju H., Malpei F., Zuccato E. 2007. Persistent Organic Pollutants (POPs) removal in conventional WWTP and in a MBR pilot plant for agricultural reuse. Proc. "Membrane Technologies for Wastewater Treatment and reuse" 2nd IWA National Young Water Professionals Conference. 4-6 June 2007 – Berlin. B.s Lesjean (Ed.) ISBN 987-3-9811684-0-2.
- Buttiglieri G., Migliorisi L., Malpei F. 2011. Adsorption and removal at low atrazine concentration in an MBR pilot plant. *Water Science and Technology*, 63: 1334- 1340. DOI: 10.2166/wst.2011.130
- Buttiglieri G., Peschka M., Frömel T., Müller J., Malpei F., Seel P., Knepper T.P. 2009. Environmental occurrence and degradation of the herbicide n-chloridazon. *Water Research*, 43: 2865 – 2873. DOI: 10.1016/j.watres.2009.03.035
- Calamari D., Zuccato E., Castiglioni S., Bagnati R., Fanelli R. 2003 A strategic survey of therapeutic drugs in the rivers Po and Lambro in northen Italy. *Environmental Science and Technology*, 37: 1241-1248. DOI: 0.1021/es020158e
- Camusso M., Galassi S., Vignati D. 2002. Assessment of river Po sediment quality by micropollutant analysis. *Water Research*, 36: 2491–2504.
- \*Cantoni B., Delli Compagni R., Turolla A., Epifani I., Antonelli M. 2020. A statistical assessment of micropollutants occurrence, time trend, fate and human health risk using left-censored water quality data. *Chemosphere*, 257, 127095. DOI: 10.1016/j.chemosphere.2020.127095
- Cantoni B., Malpei F. 2018. I processi per la rimozione dei contaminati emergenti. *Ecoscienza*, 6: 59-61.
- Capri S., De Angelis S., Patrolecco L., Polesello S., Valsecchi S. 2004. Determinazione di nonilfenolo e nonilfenolo mono- e dietossilati in acque superficiali. IRSA-CNR Notiziario dei Metodi Analitici, 2004(1): 1-8. ISSN: 11252464
- Capri S., De Angelis S., Patrolecco L., Polesello S., Valsecchi S. 2004. Determinazione di nonilfenolo e nonilfenolo mono- e dietossilati in sedimenti. IRSA-CNR Notiziario dei Metodi Analitici, 2004(1): 8-14. ISSN: 11252464
- Carere M., Dulio V., Hanke G., Polesello S. 2012 Guidance for sediment and biota monitoring under the Common Implementation Strategy for the Water Framework Directive, *TrAC-Trends in Analytical Chemistry*, 36: 15-24. DOI: 10.1016/j.trac.2012.03.005
- Carere M., Polesello S., Kase R., Gawlik B.M. 2015. The emerging contaminants in the context of the EU Water Framework Directive. In: M. Petrovic, S. Sabater, A. Elosegi, D. Barceló (Eds.). "The handbook of environmental chemistry. Emerging Contaminants in River Ecosystems. Occurrence and effects under multiple stress conditions". Cham: Springer International Publishing, 46: 197-215. ISBN 978-3-319-29376-9
- Carere M., Polesello S., Sollazzo C., Gawlik B.M. 2012 Chemical monitoring and emerging pollutants in the Common Implementation Strategy of the Water Framework Directive, *TrAC-Trends in Analytical Chemistry*, 36: 12-14. DOI: 10.1016/j.trac.2012.04.008

- Casatta N., Mascolo G., Roscioli C., Viganò L. 2015. Tracing endocrine disrupting chemicals in a coastal lagoon (Sacca di Goro, Italy): Sediment contamination and bioaccumulation in Manila clams. *Science of the Total Environment* 511: 214–222. DOI: [10.1016/j.scitotenv.2014.12.051](https://doi.org/10.1016/j.scitotenv.2014.12.051)
- Casatta N., Stefani F., Pozzoni F., Guzzella L., Marziali L., Mascolo G., Viganò L. 2015 Endocrine-disrupting chemicals in coastal lagoons of the Po River delta: sediment contamination, bioaccumulation and effects on Manila clams. *Environ. Sci. Pollut. Res.*, Publ. on-line. DOI [10.1007/s11356-015-5656-3](https://doi.org/10.1007/s11356-015-5656-3)
- Castiglioni S., Bagnati R., Calamari D., Fanelli R., Zuccato E. 2005. A multiresidue analytical method using solid-phase extraction and HPLC-MS-MS to measure pharmaceuticals of different therapeutic classes in urban waste waters. *J. Chromatography A* 1092, 206–215.
- Castiglioni S., Bagnati R., Fanelli R., Pomati F., Calamari D., Zuccato E. 2006. Removal of pharmaceuticals in sewage treatment plants in Italy. *Environmental Science and Technology* 40, 357–363. DOI: [10.1021/es050991m](https://doi.org/10.1021/es050991m)
- Castiglioni S., Davoli E., Riva F., Palmiotto M., Camporini P., Manenti A., Zuccato E. 2018. Mass balance of emerging contaminants in the water cycle of a highly urbanized and industrialized area of Italy. *Water Research*, 131:287–298. DOI: [10.1016/j.watres.2017.12.047](https://doi.org/10.1016/j.watres.2017.12.047)
- Castiglioni S., Davoli E., Riva F., Palmiotto M., Camporini P., Manenti A., Zuccato E. 2018. Data on occurrence and fate of emerging contaminants in a urbanised area. *Data in Brief*, 17: 533-543. DOI: [10.1016/j.watres.2017.12.047](https://doi.org/10.1016/j.watres.2017.12.047)
- Castiglioni S., Valsecchi S., Polesello S., Rusconi M., Melis M., Palmiotto M., Manenti A., Davoli E., Zuccato E. 2015. Sources and fate of perfluorinated compounds in the aqueous environment and in drinking water of a highly urbanized and industrialized area in Italy. *J. Hazardous Materials*, 282: 51–60. DOI: [10.1016/j.jhazmat.2014.06.007](https://doi.org/10.1016/j.jhazmat.2014.06.007)
- Castiglioni S., Zuccato E., Chiabrando C., Fanelli R., Bagnati R. 2008. Mass spectrometry analysis of illicit drugs in wastewater and surface water. *Mass Spectrometry Reviews*, 27: 378– 394. DOI: [10.1002/mas.20027](https://doi.org/10.1002/mas.20027)
- Castiglioni S., Zuccato E., Fattore E., Riva F., Terzaghi E., Koenig R., Principi P., Di Guardo A. 2019. Micropollutants in Lake Como water in the context of circular economy: A snapshot of water cycle contamination in a changing pollution scenario. *J. Hazardous Materials*, 121441. DOI: [10.1016/j.jhazmat.2019.121441](https://doi.org/10.1016/j.jhazmat.2019.121441)
- Cavalli S., Polesello S., Saccani G. 2004. Determination of acrylamide in drinking water by large-volume direct injection and ion-exclusion chromatography-mass spectrometry, *J. Chromatography A*, 1039(1-2): 155-159. DOI: [10.1016/j.chroma.2004.01.010](https://doi.org/10.1016/j.chroma.2004.01.010)
- Cerasino L., Bogialli S., Guzzella L., Scardala S. 2014 C3. Metodi chimici per l'analisi delle cianotossine nelle acque di balneazione. In: Funari E., Manganelli M., Testai E. (Ed.). *Cianobatteri: linee guida per la gestione delle fioriture nelle acque di balneazione. Rapporti ISTISAN 14/20*. 201-223. ISSN 384-8936
- Conti F., Lanciotti E., Malpei F., Mancini G., Pirozzi F., Vismara R. 2013. Salvaguardia dei corpi idrici dalla contaminazione da composti xenobiotici: nuovi strumenti per l'analisi, il controllo ed il trattamento delle acque reflue civili e industriali. In: F. Cecchi, M. Majone, G. Mancini (Eds.) "Xenobiotici e contaminati emergenti". L'analisi, il controllo ed il trattamento nelle acque reflue civili, industriali e di falda. ISBN 88-88214-02-X, Capitolo 6: 166-201.
- Copetti D., Marziali L., Viviano G., Valsecchi L., Guzzella L., Capodaglio A., Tartari G., Polesello S., Valsecchi S., Mezzanotte V. 2019. Intensive monitoring of conventional and surrogate quality parameters in a highly urbanized river affected by multiple combined sewer overflows. *Water Supply*, 19(3): 953-966. DOI: [10.2166/ws.2018.146](https://doi.org/10.2166/ws.2018.146)
- Crey-Desbiolles C., Cavalli S., Polesello S., Valsecchi S. 2009. Automated determination of linear alkylbenzene sulphonate (LAS) in wastewater treatment plants effluents using on line solid-phase extraction followed by HPLC with fluorescence detection. *Tenside, Surfactants. Detergents*, 46(6): 346-351. DOI: [10.3139/113.110040](https://doi.org/10.3139/113.110040)
- Croce V., De Angelis S., Patrolecco L., Polesello S., Valsecchi S. 2005 Uptake and accumulation of sediment-associated 4-nonylphenol in a benthic invertebrate (*Lumbriculus variegatus*, freshwater oligochaete), *Environmental Toxicology and Chemistry*, 24(5): 1165-1171. DOI: [10.1897/04-337R.1](https://doi.org/10.1897/04-337R.1)

- Croce V., Patrolecco L., Polesello S., Valsecchi S. 2003. Extraction of nonylphenol and nonylphenol ethoxylates from river sediments: Comparison of different extraction techniques. *Chromatographia*, 58(3-4): 145-149. DOI: [10.1365/s10337-003-0032-8](https://doi.org/10.1365/s10337-003-0032-8)
- Dalla Fontana G., Mossotti R., Montarsolo A. 2020. Assessment of microplastics release from polyester fabrics: the impact of different washing conditions, *Environmental Pollution* DOI: [10.1016/j.envpol.2020.113960](https://doi.org/10.1016/j.envpol.2020.113960)
- Davoli E., Zuccato E., Castiglioni S. 2019. Illicit drugs in drinking water. *Current Opinion in Environmental Science & Health.*, 7: 92-97. Doi: [10.1016/j.coesh.2018.12.004](https://doi.org/10.1016/j.coesh.2018.12.004)
- De Falco F., Gullo M.P., Gentile G., Di Pace E., Cocca M., Gelabert L., Brouta-Agnésa M., Rovira A., Escudero R., Villalba R., Mossotti R., Montarsolo A., Gavignano S., Tonin C., Avella M. 2018. Evaluation of microplastic release caused by textile washing processes of synthetic fabrics. *Environmental Pollution*, 236: 916–925. DOI: [10.1016/J.ENVPOL.2017.10.057](https://doi.org/10.1016/J.ENVPOL.2017.10.057)
- Della Torre C., Maggioni D., Ghilardi A., Parolini M., Santo N., Landi C., Madaschi L., Magni S., Tasselli S., Ascagni M., Bini L., La Porta C., Del Giacco L., Binelli A. 2018. The interactions of fullerene C<sub>60</sub> and Benzo( $\alpha$ )pyrene influence their bioavailability and toxicity to zebrafish embryos. *Environmental Pollution*, 241: 999-1008. [10.1016/j.envpol.2018.06.042](https://doi.org/10.1016/j.envpol.2018.06.042)
- Della Torre C., Parolini M., Del Giacco L., Ghilardi A., Ascagni M., Santo N., Maggioni D., Magni S., Madaschi L., Prosperi L., La Porta C., Binelli A. 2017. Adsorption of B( $\alpha$ )P on Carbon Nanopowder affects accumulation and toxicity on zebrafish (*Danio rerio*) embryos. *Environmental Science: Nano* 4: 1132-1146. DOI: [10.1039/c7en00154a](https://doi.org/10.1039/c7en00154a)
- Delli Compagni R., Gabrielli M., Polesel F., Turolla A., Trapp S., Vezzaro L., Antonelli M. 2019. Risk assessment of contaminants of emerging concern in the context of wastewater reuse for irrigation: An integrated modelling approach. *Chemosphere*, 242. DOI: [10.1016/j.chemosphere.2019.125185](https://doi.org/10.1016/j.chemosphere.2019.125185)
- Delli Compagni R., Polesel F., von Borries K.J.F., Zhang Z., Turolla A., Antonelli M., Vezzaro L. 2019. Modelling micropollutant fate in sewer systems - A new systematic approach to support conceptual model construction based on in-sewer hydraulic retention time. *J. Environmental Management*, 246: 141–149. DOI: [10.1016/j.jenvman.2019.05.139](https://doi.org/10.1016/j.jenvman.2019.05.139)
- Di Guardo A., Calamari D., Benfenati E., Halling-Sørensen B., Zuccato E., Fanelli R. 2001. Pharmaceuticals as Environmental Contaminants: Modeling Distribution and Fate. In: Kümmerer, K. (Ed.), *Pharmaceuticals in the Environment: Sources, Fate, Effects and Risks*. Springer. 122-132. ISBN 978-3-540-74663-8
- Di Guardo A., Gouin T., MacLeod M., Scheringer M. 2018. Environmental fate and exposure models: Advances and challenges in 21st century chemical risk assessment. *Environmental Science: Processes and Impacts*, 20: 58-71. DOI: [10.1039/C7EM00568G](https://doi.org/10.1039/C7EM00568G)
- Di Guardo A., Hermens J.L. 2013. Challenges for exposure prediction in ecological risk assessment. *Integrated Environmental Assessment and Management* 9(3): e4–e14. DOI: [10.1002/ieam.1442](https://doi.org/10.1002/ieam.1442)
- Di Guardo A., Morselli M., Morabito G., Semplice M., Van den Brink P.J., De Laender F. 2017. European environmental scenarios of chemical bioavailability in freshwater systems. *Science of the Total Environment*, 580: 1237–1246. DOI: [10.1016/j.scitotenv.2016.12.084](https://doi.org/10.1016/j.scitotenv.2016.12.084)
- Di Nica V., Gallet J., Villa S., Mezzanotte V. 2017. Toxicity of Quaternary Ammonium Compounds (QACs) as single compounds and mixtures to aquatic non-target microorganisms: Experimental data and predictive models. *Ecotoxicology and Environmental Safety*, 142, 567-577. DOI: [10.1016/j.ecoenv.2017.04.028](https://doi.org/10.1016/j.ecoenv.2017.04.028)
- Fantuzzi G., Aggazzotti G., Righi E., Predieri G., Castiglioni S., Riva F., Zuccato E. 2018. Illicit drugs and pharmaceuticals in swimming pool waters. *Science of the Total Environment*, 635, 956-963. DOI: [10.1016/j.scitotenv.2018.04.155](https://doi.org/10.1016/j.scitotenv.2018.04.155)
- Fattore E., Viganò L., Mariani G., Guzzi A., Benfenati E., Fanelli R. 2002. Polychlorinated dibenzo-p-dioxins and dibenzofurans in River Po sediments. *Chemosphere*, 49: 749–754.
- Galafassi S., Nizzetto L., Volta P. 2019. Plastic sources: A survey across scientific and grey literature for their inventory and relative contribution to microplastics pollution in natural environments, with an

- emphasis on surface water. *Science of the Total Environment*, 693, 133499. DOI: 10.1016/J.SCITOTENV.2019.07.305
- Galassi S., Guzzella L., Battegazzore M., Carrieri A. 1994. Biomagnification of PCBs, p, p-DDE, and HCB in the River Po ecosystem (Northern Italy). *Ecotoxicology and Environmental Safety*, 29: 174-186.
- Galassi S., Guzzella L., Croce V. 2004. Screening organic micropollutants in surface waters by SPE extraction and ecotoxicological testing. *Chemosphere*, 54: 1619-1624. DOI:10.1016/j.chemosphere.2003.09.028
- Galassi S., Guzzella L., Mingazzini M., Viganò L., Valsecchi S., Sora S. 1992. Toxicological and chemical characterization of organic micropollutants in River Po waters (Italy). *Water Research*, 26: 19-27.
- Galassi S., Valsecchi S., Tartari G. 1997. The distribution of PCB's and chlorinated pesticides in two connected Himalayan Lakes. *Water, Air and Soil Pollution*, 99: 717-725.
- Galassi S., Viganò L., Sanna M. 1996. Bioconcentration of organochlorine pesticides in rainbow trout caged in the River Po. *Chemosphere*, 32: 1729-1739.
- Galassi S., Volta P., Calderoni A., Guzzella L. 2006. Cycling pp'DDT and pp'DDE at a watershed scale: the case of Lake Maggiore (Italy). *J. Limnology*, 62: 100-106.
- Giardi M.T., Guzzella L., Euzet P., Roullion R., Esposito D. 2005. Detection of herbicide subclasses by an optical multibiosensor based on an array of photosystem II mutants. *Environmental Science and Technology*, 39: 5378-5384. DOI: 10.1021/es040511b
- Gonzalez-Gil L., Papa M., Feretti D., Ceretti E., Mazzoleni G., Steinberg N., Pedrazzani R., Bertanza G., Lema J.M., Carballa M. 2016. Is anaerobic digestion effective for the removal of organic micropollutants and biological activities from sewage sludge? *Water Research* 102: 211-220. DOI: 10.1016/j.watres.2016.06.025
- Gori R., Cammili L., Petrovic M., Gonzalez S., Barceló D., Lubello C., Malpei F. 2010. Fate of Surfactants in Membrane Bioreactors and Conventional Activated Sludge PLants *Environmental Science & Technology*, 44: 8223-8229. Doi: 10.1021/es101515x
- Guazzoni N., Comolli R., Binelli A., Tremolada P. 2013. Environmental variables affecting the distribution of POPs on Mt. Meru, Tanzania. *Environmental Science: Processes and Impacts* 15(8): 1573-1581. DOI: 10.1039/c3em00153a
- Guzzella L. 1997. PCBs and organochlorine pesticides in Lake Orta (Northern Italy) sediments. *Water, Air and Soil Pollution*, 99: 245-254.
- Guzzella L., Capri S., Di Corcia A., Barra Caracciolo A., Giuliano G. 2006. Fate of Diuron and Linuron in a Field Lysimeter Experiment. *J. Environ. Qual.*, 35: 312–323. DOI: 10.2134/jeq2004.0025
- Guzzella L., De Paolis A. 1994. Polycyclic aromatic hydrocarbons in sediments of the Adriatic Sea. *Marine Pollution Bulletin*, 28, 159-165.
- Guzzella L., De Paolis A., Bartone C., Pozzoni F., Giuliano G. 1996. Migration of pesticides residues from agricultural soil to groundwater. *International J. Environmental Analytical Chemistry*, 65, 261-275
- Guzzella L., Ferretti D., Monarca S. 2002. Advanced oxidation and adsorption for organic micropollutant removal from lake water used as drinking-water supply. *Water Research*, 36: 4307-4318.
- Guzzella L., Ferretti D., Zerbini I., Monarca S. 1999. Evaluation of genotoxicity of italian lakewater for human consumption: a case study in Lombardy. *Toxicological and Environmental Chemistry*, 73: 81-92.
- Guzzella L., Gronda A., Colombo L. 1997. Acute Toxicity of Organophosphorus Insecticides to Marine Invertebrates. *Bull. Environ. Contam. Toxicol.*, 59: 313-320.
- Guzzella L., Patrolecco L., Pagnotta R., Langone L., Guilizzoni P. 1998. DDT and other organochlorine compounds in the lake Maggiore sediments: a recent point source of contamination. *Fresenius Environmental Bulletin*, 7: 79-89.
- Guzzella L., Poma G., De Paolis A., Roscioli C., Viviano G. 2011. Organic Persistent Toxic Substances in Soils, Water and Sediments along an Altitudinal Gradient At Mt. Sagarmatha, Himalayas, Nepal. *Environmental Pollution*, 159: 2552-2564. DOI: 10.1016/j.envpol.2011.06.015
- Guzzella L., Pozzoni F. 1999. Accelerated solvent extraction of herbicides in agricultural soil samples. *International J. Environmental Analytical Chemistry* 74: 123-133. DOI: 10.1080/03067319908031420

- Guzzella L., Pozzoni F. 2006. The problem of the herbicide water monitoring in Europe. In: Biotechnological applications of photosynthetic proteins: biochips, biosensors and biodevices. In: M.T. Giardi and E.V. Piletska (Eds) "Biotechnological Applications of Photosynthetic Proteins: Biochips, Biosensors and Biodevices", Landes Bioscience Publishers, Texas, USA. 116-129. ISBN 0-387-33009-7
- Guzzella L., Pozzoni F., Giuliano G. 2006. Herbicide contamination of surficial groundwater in Northern Italy. *Environmental Pollution*, 142: 344-353. DOI: 10.1016/j.envpol.2005.10.037
- Guzzella L., Roscioli C., Binelli A. 2008. Contamination by polybrominated diphenyl ethers of sediments from the Lake Maggiore basin (Italy and Switzerland). *Chemosphere* 73: 1684-1691. DOI: 10.1016/j.chemosphere.2008.06.073
- Guzzella L., Roscioli C., Viganò L., Saha M., Sarkar S.K., Bhattacharya L. 2005. Evaluation of the concentration of HCH, DDT, HCB, PCB and PAH in the sediments along the lower stretch of Hugli estuary, West Bengal, Northeast India. *Environmental International*, 31: 523-534. DOI: 10.1016/j.envint.2004.10.014
- Guzzella L., Salerno F., Freppaz M., Roscioli C., Pisanello F., Poma G. 2016. POP and PAH contamination in the southern slopes of Mt. Everest (Himalaya, Nepal): Long-range atmospheric transport, glacier shrinkage, or local impact of tourism? *Science of the total environment*, 544: 382-390. DOI: 10.1016/j.scitotenv.2015.11.118
- Guzzella L., Novati S., Casatta N., Roscioli C., Valsecchi L., Binelli A., Parolini M., Solcà N., Bettinetti R., Manca M., Mazzoni M., Piscia R., Volta P., Marchetto A., Lami A., Marziali L. 2018. Spatial and temporal trends of target organic and inorganic micropollutants in Lake Maggiore and Lake Lugano (Italian-Swiss water bodies): contamination in sediments and biota. *Hydrobiologia*, 824: 271-290. DOI: 10.1007/s10750-017-3494-7
- Guzzella L., Pozzoni F., Giuliano G. 2000. Field study on mobility and persistence of linuron and monolinuron in agricultural soil. *International J. Environmental Analytical Chemistry*, 78, 87-106. DOI: 10.1080/03067310008032694
- Hanke G., Mariani G., Comero S., Loos R., Bidoglio G., Polesello S., Valsecchi S., Rusconi M., Wollgast J., Castro-Jiménez J., Patrolecco L., Ademollo N. 2012. Chemical-monitoring on-site exercises to harmonize analytical methods for priority substances in the European Union, TrAC - Trends in Analytical Chemistry, 36: 25-35. DOI: 10.1016/j.trac.2012.04.002
- Kase R., Javurkova B., Simon E., Swart K., Buchinger S., Könemann S., Escher B.I., Carere M., Dulio V., Aït-Aïssa S., Hollert H., Valsecchi S., Polesello S., Behnisch P., di Paolo C., Olbrich D., Sychrova E., Gundlach M., Schlichting R., Leborgne L., Clara M., Scheffknecht C., Marneffe Y., Chalon C., Tusil P., Soldan P., von Danwitz B., Schwaiger J., Morán A., Bersani F., Perceval O., Kienle C., Vermeirssen E., Hilscherová K., Reifferscheid G., Werner I. 2018. Screening and risk management solutions for steroid estrogens in surface and wastewater, TrAC - Trends in Analytical Chemistry, 102, 343-358. DOI: 10.1016/j.trac.2018.02.013
- Könemann S., Kase R., Simon E., Swart K., Buchinger S., Schlüsener M., Hollert H., Escher B.I., Werner I., Aït-Aïssa S., Vermeirssen E., Dulio V., Valsecchi S., Polesello S., Behnisch P., Javurkova B., Perceval O., Di Paolo C., Olbrich D., Sychrova E., Schlichting R., Leborgne L., Clara M., Scheffknecht C., Marneffe Y., Chalon C., Tusil P., Soldan P., von Danwitz B., Schwaiger J., San Martín Becares M.I., Bersani F., Hilscherová K., Reifferscheid G., Ternes T., Carere M. 2018. Effect-based and chemical analytical methods to monitor estrogens under the European Water Framework Directive, TrAC - Trends in Analytical Chemistry, 102: 225-235. DOI: 10.1016/j.trac.2018.02.008
- Lalumera G., Calamari D., Galli P., Castiglioni S., Crosa G. 2004. Preliminary investigation on the environmental occurrence and effects of antibiotics used in aquaculture in Italy. *Chemosphere* 54(5): 661-668. DOI: 10.1016/j.chemosphere.2003.08.001
- Liotti E., Marin M.G., Matozzo V., Polesello S., Valsecchi S. 2007. Uptake and elimination of 4-nonylphenol by the clam *Tapes philippinarum*. *Archives of Environmental Contamination and Toxicology*, 53: 571-578. DOI: 10.1007/s00244-006-0250-9

- Loos R., Wollgast J., Castro-Jiménez J., Mariani G., Huber T., Locoro G., Hanke G., Umlauf G., Bidoglio G., Hohenblum P., Moche W., Weiss S., Schmid H., Leiendecker F., Ternes T., Ortega A.N., Hildebrandt A., Barceló D., Lepom P., Dimitrova I., Nitcheva O., Polesello S., Valsecchi S., Boutrup S., Sortkjaer O., de Boer R., Staeb J. 2008. Laboratory intercomparison study for the analysis of nonylphenol and octylphenol in river water, *Trends in Analytical Chemistry*, 27(1): 89-95. DOI: [10.1016/j.trac.2007.10.011](https://doi.org/10.1016/j.trac.2007.10.011)
- Lvova L., Guanais Branchinia C., Petropoulos K., Micheli L., Volpe G., Viaggiu E., Congestri R., Guzzella L., Pozzoni F., Di Natale C., Paolesse R. 2014. E-loungue for ecological monitoring purpose: the case of microcystin detection. *Procedia Engineering*, 87: 1358-1361. DOI: [10.1016/j.proeng.2014.11.695](https://doi.org/10.1016/j.proeng.2014.11.695)
- Magni S., Binelli A., Pittura L., Avio C.G., Della Torre C., Parenti C.C., Gorbi S., Regoli F. 2019. The fate of microplastics in an Italian wastewater treatment plant. *Science of the Total Environment*, 652: 602-610. DOI: [10.1016/j.scitotenv.2018.10.269](https://doi.org/10.1016/j.scitotenv.2018.10.269)
- Magni S., Bonasoro F., Della Torre C., Parenti C.C., Maggioni D., Binelli A. 2020. Plastics and biodegradable plastics: ecotoxicity comparison between polyvinylchloride and Mater-Bi micro-debris in a freshwater biological model. *Science of the Total Environment*, 729: 137602. DOI: [10.1016/j.scitotenv.2020.137602](https://doi.org/10.1016/j.scitotenv.2020.137602)
- Magni S., Della Torre C., Garrone G., D'Amato A., Parenti C.C., Binelli A. 2019. First evidence of protein modulation by polystyrene microplastics in a freshwater biological model. *Environmental Pollution*, 250: 407-415. DOI: [10.1016/j.envpol.2019.04.088](https://doi.org/10.1016/j.envpol.2019.04.088)
- Magni S., Gagné F., André C., Della Torre C., Auclair J., Banana H., Parenti C.C., Bonasoro F., Binelli A. 2018. Evaluation of uptake and chronic toxicity of virgin polystyrene microbeads in freshwater zebra mussel *Dreissena polymorpha* (Mollusca: Bivalvia). *Science of the Total Environment* 631-632: 778-788. DOI: [10.1016/j.scitotenv.2018.03.075](https://doi.org/10.1016/j.scitotenv.2018.03.075)
- Magni S., Parolini M., Binelli A. 2016. Sublethal effects induced by morphine to the freshwater biological model *Dreissena polymorpha*. *Environmental Toxicology* 31: 58-67. DOI: [10.1002/tox.22021](https://doi.org/10.1002/tox.22021)
- Magni S., Parolini M., Della Torre C., Fernandes de Oliveira L., Catani M., Guzzinati R., Cavazzini A., Binelli A. 2017. Multi-biomarker investigation to assess toxicity induced by two antidepressants on *Dreissena polymorpha*. *Science of the Total Environment* 578: 452-459. DOI: [10.1016/j.scitotenv.2016.10.208](https://doi.org/10.1016/j.scitotenv.2016.10.208)
- Mandich A., Benfenati E., Cronin M.T.D., Goksøyr A., Grøsvik B.E., Kloas W., Van Cauwenberge A., Viganò L. 2005. Environmental Agent Susceptibility Assessment Using Existing and Novel Biomarkers as Rapid Noninvasive Testing Methods. *Ann. N.Y. Acad. Sci.*, 1040: 381-386. DOI: [10.1196/annals.1327.068](https://doi.org/10.1196/annals.1327.068)
- Mandich A., Bottero S., Benfenati E., Cevasco A., Erratico C., Maggioni S., Massari S., Pedemonte F., Viganò L. 2007. In vivo exposure of carp to graded concentrations of bisphenol A. *General and Comparative Endocrinology*, 153: 15-24. DOI: [10.1016/j.ygcen.2007.01.004](https://doi.org/10.1016/j.ygcen.2007.01.004)
- Mariani D., Trimigno E., Pallotti G., Polesello S., Capri S. 2015. Determination of anionic and non-ionic surfactants in aqueous matrices by high-performance liquid chromatography (HPLC) with UV and evaporative detectors. *Rivista Italiana delle Sostanze Grasse*, 92(1): 3-9. ISSN: 0035-6808
- Marziali L., Rosignoli F., Valsecchi S., Polesello S., Stefani F. 2019. Effects of perfluoralkyl substances (PFASs) on a multigenerational scale: a case study with *Chironomus riparius* (Diptera, Chironomidae). *Environmental Toxicology and Chemistry*. On line published 2019 Feb 20. DOI: [10.1002/etc.4392](https://doi.org/10.1002/etc.4392).
- Mascolo G., Lopez A., Detomaso A., Guzzella L. 2004. UV degradation of carbofuran insecticide in aqueous solution: identification and toxicity evolution of by-products. *Water Science and Technology*, 4, 313-319
- Mazzoni M., Buffo A., Cappelli F., Pascariello S., Polesello S., Valsecchi S., Volta P., Bettinetti R. 2019. Perfluoroalkyl acids in fish of Italian deep lakes: Environmental and human risk assessment, *Science of the Total Environment*, 653: 351-358. DOI: [10.1016/j.scitotenv.2018.10.274](https://doi.org/10.1016/j.scitotenv.2018.10.274)
- Mazzoni M., Polesello S., Rusconi M., Valsecchi S. 2016. Liquid chromatography mass spectrometry determination of perfluoroalkyl acids in environmental solid extracts after phospholipid removal and

- on-line turbulent flow chromatography purification, *J. Chromatography A*, 1453: 62-70. DOI: 10.1016/j.chroma.2016.05.047
- Mazzoni M., Rusconi M., Valsecchi S., Martins C.P.B., Polesello S. 2015. An on-line solid phase extraction-liquid chromatography-tandem mass spectrometry method for the determination of perfluoroalkyl acids in drinking and surface waters. *J. Analytical Methods in Chemistry*, art. no. 942016. DOI: 10.1155/2015/942016
- Mezzanotte V., Anzano M., Collina E., Marazzi F.A., Lasagni M. 2016. Distribution and removal of polycyclic aromatic hydrocarbons in two Italian municipal wastewater treatment plants in 2011-2013. *Polycyclic Aromatic Compounds*, 36(3): 213-228. DOI: 10.1080/10406638.2014.957409
- Mezzanotte V., Canziani R., Sardi E., Spada L. 2005. Removal of Pesticides by a Combined Ozonation/Attached Biomass Process Sequence. *Ozone: Science & Engineering*, 27(4): 327-331. DOI: 10.1080/01919510591008362
- Mingazzini M., Galassi S., Guzzella L. 2001. Assessment of the toxic potential of sediment organic pollution by *Selenastrum Capricornutum*. *Fresenius Environmental Bulletin.*, 10: 475-479.
- Mingazzini M., Polesello S., Galassi S., Guzzella L. 2002. Role of nonylphenol ethoxylates as possible tracers of recent industrial contamination of river sediments, *Fresenius Environmental Bulletin*, 11 (No 10a): 795-799.
- Montarsolo A., Mossotti R., Patrucco A., Caringella R. 2018. Study on the microplastics release from fishing nets. *Eur. Phys. J. Plus* 133: 494. DOI: 10.1140/epjp/i2018-12415-1
- Montarsolo A., Mossotti R., Patrucco A., Zoccola M., Caringella R., Pozzo P.D., Tonin C. 2018. Study on Microplastics Release from Fishing Nets. *Proc. Int. Conf. on Microplastic Pollution in the Mediterranean Sea*. M. Cocca, E. Di Pace, M.E. Errico, G. Gentile, A. Montarsolo, R. Mossott (Eds.). Springer Nature, Springer Int. Publ. AG. 81-88. DOI: 10.1007/978-3-319-71279-6\_12
- Mossotti R., Montarsolo A., Patrucco A., Zoccola M., Caringella R., Pozzo P.D., Tonin C. 2018. Mitigation of the Impact Caused by Microfibers Released During Washings by Implementing New Chitosan Finishing Treatments. *Proc. Int. Conf. on Microplastic Pollution in the Mediterranean Sea*. M. Cocca, E. Di Pace, M.E. Errico, G. Gentile, A. Montarsolo, R. Mossott (Eds.). Springer Nature, Springer Int. Publ. AG. 223-229. DOI: 10.1007/978-3-319-71279-6\_31
- Palmiotto M., Castiglioni S., Zuccato E., Manenti A., Riva F., Davoli E. 2018. Personal care products in surface, ground and wastewater of a complex aquifer system, a potential planning tool for contemporary urban settings. *J. Environmental Management*, 214: 76-85. DOI: 10.1016/j.jenvman.2017.10.069
- Parenti C.C., Ghilardi A., Della Torre C., Magni S., Del Giacco L., Binelli A. 2019. Evaluation of the infiltration of polystyrene nanobeads in zebrafish embryo tissues after short-term exposure and the related biochemical and behavioural effects. *Environmental Pollution*, 254: 112947. DOI: 10.1016/j.envpol.2019.07.115
- Parenti C.C., Ghilardi A., Della Torre C., Mandelli M., Magni S., Del Giacco L., Binelli A. 2019. Environmental concentrations of triclosan activate cellular defence mechanism and generate cytotoxicity on zebrafish (*Danio rerio*) embryos. *Science of the Total Environment*, 650: 1752-1758. DOI: 10.1016/j.scitotenv.2018.09.283
- Parolini M., Binelli A. 2012. Cyto-genotoxic effects induced by three brominated diphenyl ether congeners on the freshwater mussel *Dreissena polymorpha*. *Ecotoxicology and Environmental Safety*, 79: 247-255. DOI: 10.1016/j.ecoenv.2012.01.008
- Parolini M., Binelli A. 2012. Sub-lethal effects induced by a mixture of three non-steroidal anti-inflammatory drugs (NSAIDs) on the freshwater bivalve *Dreissena polymorpha*. *Ecotoxicology*, 21(2): 379-392. DOI: 10.1007/s10646-011-0799-6
- Parolini M., Binelli A. 2013. Adverse effects induced by ecgonine methyl ester to the zebra mussel: a comparison with the benzoylecgonine. *Environmental Pollution*, 182: 371-378. DOI: 10.1016/j.envpol.2013.07.038

- Parolini M., Binelli A. 2014. Oxidative and genetic responses induced by Δ-9-tetrahydrocannabinol (Δ-9-THC) to *Dreissena polymorpha*. *Science of the Total Environment*, 468-469, 68-76. DOI: [10.1016/j.scitotenv.2013.08.024](https://doi.org/10.1016/j.scitotenv.2013.08.024)
- Parolini M., Binelli A. 2014. Temporal trends of polycyclic aromatic hydrocarbons (PAHs) in *Dreissena polymorpha* specimens from Lake Maggiore (Northern Italy). *Environmental Science and Pollution Research*, 21(11): 7006-7023. DOI: [10.1007/s11356-014-2623-3](https://doi.org/10.1007/s11356-014-2623-3)
- Parolini M., Binelli A., Cogni D., Provini A. 2010. Multi-biomarker approach for the evaluation of the cyto-genotoxicity of paracetamol on zebra mussel (*Dreissena polymorpha*). *Chemosphere*, 79: 489-498. DOI: [10.1016/j.chemosphere.2010.02.053](https://doi.org/10.1016/j.chemosphere.2010.02.053)
- Parolini M., Binelli A., Cogni D., Riva C., Provini A. 2009. An in vitro biomarker approach for the evaluation of the non-steroidal anti-inflammatory drugs (NSAIDs) ecotoxicity. *Toxicology in Vitro*, 23: 935-942. DOI: [10.1016/j.tiv.2009.04.014](https://doi.org/10.1016/j.tiv.2009.04.014)
- Parolini M., Binelli A., Marin G., Matocco V., Provini A. 2012. New evidences in the complexity of contamination of the Lagoon of Venice: polybrominated diphenyl ethers (PBDEs) pollution. *Environmental Monitoring and Assessment*, 184: 2001-2015. DOI: [10.1007/s10661-011-2095-6](https://doi.org/10.1007/s10661-011-2095-6)
- Parolini M., Binelli A., Matocco V., Marin M.G. 2010. Persistent organic pollutants in sediments from the Lagoon of Venice—a possible hazard for sediment-dwelling organisms. *J. Soils and Sediments*, 10:1362–1379. DOI: [10.1007/s11368-010-0277-4](https://doi.org/10.1007/s11368-010-0277-4)
- Parolini M., Binelli A., Provini A. 2011. Assessment of the potential cyto-genotoxicity of the nonsteroidal anti-inflammatory drug (NSAID) diclofenac on the Zebra mussel (*Dreissena polymorpha*). *Water, Air and Soil Pollution*, 217: 589-601. DOI [10.1007/s11270-010-0612-9](https://doi.org/10.1007/s11270-010-0612-9)
- Parolini M., Binelli A., Provini A. 2011. Chronic effects induced by ibuprofen on the freshwater bivalve *Dreissena polymorpha*. *Ecotoxicology and Environmental Safety*, 74: 1586-1594. DOI: [10.1016/j.ecoenv.2011.04.025](https://doi.org/10.1016/j.ecoenv.2011.04.025)
- Parolini M., Bini L., Magni S., Rizzo A., Ghilardi A., Landi C., Armini A., Del Giacco L., Binelli A. 2018. Exposure to cocaine and its main metabolites altered the protein profile of zebrafish embryos. *Environmental Pollution*, 232: 603-614. DOI: [10.1016/j.envpol.2017.09.097](https://doi.org/10.1016/j.envpol.2017.09.097)
- Parolini M., Castiglioni S., Magni S., Della Torre C., Binelli A. 2017. Increase in cannabis use may indirectly affect the health status of a freshwater species. *Environmental Toxicology and Chemistry*, 36(2): 472-479. DOI: [10.1002/etc.3575](https://doi.org/10.1002/etc.3575)
- Parolini M., Guazzoni N., Binelli A., Tremolada P. 2012. Polybrominated diphenyl ether contamination in soil, vegetation, and cow milk from a high-mountain pasture in the Italian Alps. *Archives of Environmental Contamination and Toxicology*, 63(1): 29-44. DOI: [10.1007/s00244-012-9753-8](https://doi.org/10.1007/s00244-012-9753-8)
- Parolini M., Guazzoni N., Comolli R., Binelli A., Tremolada P. 2013. Background levels of polybrominated diphenyl ethers (PBDEs) in soils from Mount Meru area, Arusha district (Tanzania). *Science of the Total Environment*, 452-453: 253-261. /[10.1016/j.scitotenv.2013.02.069](https://doi.org/10.1016/j.scitotenv.2013.02.069)
- Parolini M., Magni S., Binelli A. 2014. Environmental concentrations of 3,4-methylenedioxymethamphetamine (MDMA)-induced cellular stress and modulated antioxidant enzyme activity in the zebra mussel. *Environmental Science and Pollution Research*, 21, 11099-11106. DOI: [10.1007/s11356-014-3094-2](https://doi.org/10.1007/s11356-014-3094-2)
- Parolini M., Magni S., Castiglioni S., Binelli A. 2016. Amphetamine exposure imbalanced antioxidant activity in the bivalve *Dreissena polymorpha* causing oxidative and genetic damage. *Chemosphere*, 144: 207-213. DOI: [10.1016/j.chemosphere.2015.08.025](https://doi.org/10.1016/j.chemosphere.2015.08.025)
- Parolini M., Magni S., Castiglioni S., Binelli A. 2016. Genotoxic effects induced by the exposure to an environmental mixture of illicit drugs to the zebra mussel. *Ecotoxicology and Environmental Safety*, 132: 26-30. DOI: [10.1016/j.ecoenv.2016.05.022](https://doi.org/10.1016/j.ecoenv.2016.05.022)
- Parolini M., Magni S., Castiglioni S., Zuccato E., Binelli A. 2015. Realistic mixture of illicit drugs impaired the oxidative status of the zebra mussel (*Dreissena polymorpha*). *Chemosphere*, 128: 96-102. DOI: [10.1016/j.chemosphere.2014.12.092](https://doi.org/10.1016/j.chemosphere.2014.12.092)

- Parolini M., Magni S., Traversi I., Villa S., Finizio T., Binelli A. 2015. Environmentally relevant concentrations of galaxolide (HHCB) and tonalide (AHTN) induced oxidative and genetic damage in *Dreissena polymorpha*. *J. Hazardous Materials*, 285, 1-10. DOI: /10.1016/j.jhazmat.2014.11.037
- Parolini M., Pedriali A., Binelli A. 2012. Variation of antioxidant activity in *Dreissena polymorpha* specimens exposed to 2,2',4,4',5,6'-Hexa BDE (BDE-154). *Water, Air and Soil Pollution*, 223: 3067-3076. DOI: 10.1007/s11270-012-1089-5
- Parolini M., Pedriali A., Binelli A. 2013. Application of a Biomarker Response Index for Ranking the Toxicity of Five Pharmaceutical and Personal Care Products (PPCPs) to the Bivalve *Dreissena polymorpha*. *Archives of Environmental Contamination and Toxicology*, 64: 439–447. DOI 10.1007/s00244-012-9847-3
- Parolini M., Pedriali A., Riva C., Binelli A. 2013. Sub-lethal effects caused by the cocaine metabolite benzoylecgonine to the freshwater mussel *Dreissena polymorpha*. *Science of the Total Environment*, 444: 43-50. DOI: 10.1016/j.scitotenv.2012.11.076
- Parolini M., Quinn B., Binelli A., Provini A. 2011. Cytotoxicity assessment of four pharmaceutical compounds on the zebra mussel (*Dreissena polymorpha*) haemocytes, gill and digestive gland primary cell cultures. *Chemosphere*, 84: 91-100. DOI: 10.1016/j.chemosphere.2011.02.049
- Pascariello S., Mazzoni M., Bettinetti R., Manca M., Patelli M., Piscia R., Valsecchi S., Polesello S. 2019. Organic Contaminants in Zooplankton of Italian Subalpine Lakes: Patterns of Distribution and Seasonal Variations, *Archives of Environmental Contamination and Toxicology*, 11(9): 1901; DOI: 10.3390/w11091901
- Patrolecco L., Ademollo N., Capri S., Pagnotta R., Polesello S., 2010 Occurrence of priority hazardous PAHs in water, suspended particulate matter, sediment and common eels (*Anguilla anguilla*) in the urban stretch of the River Tiber (Italy)- *Chemosphere*, 81 (11), 1386-1392. DOI: 10.1016/j.chemosphere.2010.09.027
- Patrolecco L., Capri S., De Angelis S., Pagnotta R., Polesello S., Valsecchi S. 2006. Partition of nonylphenol and related compounds among different aquatic compartments in Tiber river (central Italy), *Water, Air, and Soil Pollution*, 172(1-4): 151-166. DOI: 10.1007/s11270-005-9067-9
- Patrolecco L., Capri S., De Angelis S., Polesello S., Valsecchi S. 2004. Determination of endocrine disrupting chemicals in environmental solid matrices by extraction with a non-ionic surfactant (Tween 80). *J. Chromatography A*, 1022(1-2): 1-7. DOI: 10.1016/j.chroma.2003.09.050
- Pedrazzani R., Bertanza G., Bernardi I., Cetecioglu Z., Dries J., Dvarionienė J., García-Fernández A.J., Langenhoff A., Libralato G., Lofrano G., Škrbić B., Martínez-López E., Meriç S., Mutavdžić P.D., Papa M., Schröder P., Tsagarakis K.P., Vogelsang C. 2019: Opinion paper about organic trace pollutants in wastewater: Toxicity assessment in a European perspective. *Science of the Total Environment*, 651: 3202-3221. DOI: 10.1016/j.scitotenv.2018.10.027
- Pedrali A., Riva C., Parolini M., Cristoni S., Sheehan D., Binelli A. 2013. A redox proteomic investigation of oxidative stress caused by benzoylecgonine in the freshwater bivalve *Dreissena polymorpha*. *Drug Testing and Analysis*, 5: 646-656. DOI: 10.1002/dta.1409
- Pietrini F., Passatore L., Fischetti E., Carloni S., Ferrario C., Polesello S., Zacchini M. 2019. Evaluation of morpho-physiological traits and contaminant accumulation ability in *Lemna minor* L. treated with increasing perfluorooctanoic acid (PFOA) concentrations under laboratory conditions, *Science of the Total Environment*, 695: 133828. DOI: 10.1016/j.scitotenv.2019.133828
- Pisanelli F., Marziali L., Rosignoli F., Poma G., Roscioli C., Pozzoni F., Guzzella L. 2016. In situ bioavailability of DDT and Hg in sediments of the Toce River (Lake Maggiore basin, Northern Italy): accumulation in benthic invertebrates and passive samplers. *Environmental Science and Pollution Research*, 23: 10542-10555. DOI: 10.1007/s11356-015-5900-x
- Polesello S., Comi M., Guzzella L., Marinoni A., Pecci M., Roscioli C., Smiraglia C., Tartari G., Teti P., Valsecchi S., Vuillermoz E. 2007. Chemical composition of fresh snow in Himalayas and Karakoram. In: R. Baudo, G. Tartari, E. Vuillermoz (Eds) "Mountains: Witnesses of Global Changes. Research in the Himalaya and Karakoram", Amsterdam, Ed. Elsevier, 251-262. ISBN 978-0-444-52990-9

- Polesello S., Quevauviller P. 2014. Techniques analytiques pour les polluants émergents. *Techniques de l'Ingénieur*, Paris. P4 240: 1-17.
- Polesello S., Valsecchi S. 2010. Nuovi metodi LC-MS: screening e identificazione di sostanze organiche incognite in campioni acquosi. *Laboratorio* 2000, (12): 50-55.
- Polesello S., Valsecchi S., Cavalli S., Romele L. 2008. Misura di tensioattivi anionici e non ionici in scarichi dell'industria tessile. *Laboratorio* 2000, (4): 40-44.
- Poma G., Binelli A., Volta P., Roscioli C., Guzzella L. 2014. Evaluation of spatial distribution and accumulation of novel brominated flame retardants, HBCD and PBDEs in an Italian subalpine lake using zebra mussel (*Dreissena polymorpha*). *Environmental Science and Pollution Research*, 21(16): 9655-9664. DOI: [10.1007/s11356-014-2826-7](https://doi.org/10.1007/s11356-014-2826-7)
- Poma G., Roscioli C., Guzzella L. 2014. PBDE, HBCD, and novel brominated flame retardants contamination in sediments from Lake Maggiore (Northern Italy). *Environmental Monitoring and Assessment*, 186: 7683-7692. DOI: [10.1007/s10661-014-3959-3](https://doi.org/10.1007/s10661-014-3959-3)
- Poma G., Salerno F., Roscioli C., Novatis S., Guzzella L. 2017. Persistent organic pollutants in sediments of high-altitude Alpine ponds within Stelvio National Park, Italian Alps. *Inland Waters*, 7: 34-44. DOI: [10.1080/20442041.2017.1294345](https://doi.org/10.1080/20442041.2017.1294345)
- Poma G., Volta P., Roscioli C., Bettinetti R., Guzzella L. 2014. Concentration and trophic interactions of novel brominated flame retardants, HBCD, and PBDEs in zooplankton and fish from Lake Maggiore (Northern Italy). *Science of the Total Environment*, 481: 401-408. DOI: [10.1016/j.scitotenv.2014.02.063](https://doi.org/10.1016/j.scitotenv.2014.02.063)
- Prat N., Gallart F., Von Schiller D., Polesello S., García-Roger E.M., Latron J., Rieradevall M., Llorens P., Barberá G.G., Brito D., De Girolamo A.M., Dieter D., Lo Porto A., Buffagni A., Erba S., Nikolaidis N.P., Querner E.P., Tournoud M.G., Tzoraki O., Skoulidakis N., Gómez R., Sánchez-Montoya M.M., Tockner K., Froebrich J. 2014. The mirage toolbox: An integrated assessment tool for temporary streams. *River Research and Applications*, 30(10): 1318-1334. DOI: [10.1002/rra.2757](https://doi.org/10.1002/rra.2757)
- Provini A., Galassi S., Guzzella L., Valli G. 1995. PCB Profiles in sediments of Lakes Maggiore, Como and Garda (Italy). *Marine and Freshwater Research*, 46: 129-136. DOI: [10.1071/MF9950129](https://doi.org/10.1071/MF9950129)
- Puzzi C., Bottero S., Cevasco A., Massari A., Monteverde M., Pedemonte F., Bertolotti R., Viganò L., Mandich A. 2005. Fish Community Characterization in Two Stretches Upstream and Downstream of the Lambro River Confluence with the Po River. *Ann. N.Y. Acad. Sci.* 1040: 439-443. DOI: [10.1196/annals.1327.084](https://doi.org/10.1196/annals.1327.084)
- Riva C., Binelli A. 2014. Analysis of the *Dreissena polymorpha* gill proteome following exposure to dioxin-like PCBs: Mechanism of action and the role of gender. *Comparative Biochemistry and Physiology, Part D-Genomics and Proteomics* 9: 23-30. DOI: [10.1016/j.cbd.2013.08.005](https://doi.org/10.1016/j.cbd.2013.08.005)
- Riva C., Binelli A., Cogni D., Provini A. 2007. Evaluation of DNA damages induced by BDE-209 in haemocytes of *Dreissena polymorpha* using SCGE assay and MN test. *Environmental and Molecular Mutagenesis*, 48: 735-743. DOI: [10.1002/em.20353](https://doi.org/10.1002/em.20353)
- Riva C., Binelli A., Provini A. 2008. Evaluation of several priority pollutants in Zebra mussels (*Dreissena polymorpha*) in the largest Italian subalpine lakes. *Environmental Pollution*, 151: 652-662. DOI: [10.1016/j.envpol.2007.03.016](https://doi.org/10.1016/j.envpol.2007.03.016)
- Riva C., Binelli A., Rusconi F., Colombo G., Pedriali A., Zippel R., Provini A. 2011. A proteomic study using zebra mussels (*D. polymorpha*) exposed to benzo(a)pyrene: the role of gender and exposure concentrations. *Aquatic Toxicology*, 104: 14-22. DOI: [10.1016/j.aquatox.2011.03.008](https://doi.org/10.1016/j.aquatox.2011.03.008)
- Riva C., Binelli A., Rusconi F., Colombo G., Pedriali A., Zippel R., Provini A. 2010. In vivo experiments for the evaluation of protein expression profiles in Zebra mussels (*Dreissena polymorpha*) exposed to benzo[a]pyrene. *Comparative Biochemistry and Physiology – Part A*, 157: S44. DOI: [10.1016/j.cbpa.2010.06.125](https://doi.org/10.1016/j.cbpa.2010.06.125)
- Riva C., Cristoni S., Binelli A. 2012. Effects of Triclosan in the freshwater *Dreissena polymorpha*: a proteomic investigation. *Aquatic Toxicology*, 118-119: 62-71. DOI: [10.1016/j.aquatox.2012.03.013](https://doi.org/10.1016/j.aquatox.2012.03.013)

- Riva C., Parolini M., Binelli A., Provini A. 2010. The case of pollution of Lake Maggiore: a twelve-year study with the bioindicator mussel *Dreissena polymorpha*. *Water, Air and Soil Pollution*, 210: 75–86. DOI: 10.1007/s11270-009-0225-3
- Riva C., Porte C., Binelli A., Provini A. 2010. Evaluation of 4-nonylphenol exposure in *Dreissena polymorpha*: accumulation, sex steroid levels and oxidative stress. *Comparative Biochemistry and Physiology – Part C*, 152: 175–181. doi:10.1016/j.cbpc.2010.04.004
- Riva F., Castiglioni S., Fattore E., Manenti A., Davoli E., Zuccato E. 2018. Monitoring emerging contaminants in the drinking water of Milan and assessment of the human risk. *Int. J. Hyg. Environ. Health*, 221(3): 451–457. DOI: 10.1016/j.ijheh.2018.01.008
- Riva F., Zuccato E., Castiglioni S. 2015. Prioritization and analysis of pharmaceuticals for human use contaminating the aquatic ecosystem in Italy. *J. Pharmaceutical and Biomedical Analysis*, 106: 71–78. DOI: 10.1016/j.jpba.2014.10.003
- Riva F., Davoli E., Fattore E., Castiglioni S. 2019. Risk assessment of a mixture of emerging contaminants in surface water in a highly urbanized area in Italy. *J. Hazardous Materials*, 361: 103–110. DOI: 10.1016/j.jhazmat.2018.07.099
- Rivoira L., De Carlo R.M., Cavalli S., Bruzzoniti M.C. 2015. Simple SPE–HPLC determination of some common drugs and herbicides of environmental concern by pulsed amperometry. *Talanta*, 131: 205–212. DOI: 10.1016/j.talanta.2014.07.070
- Roscioli C., Guzzella L. 2007. Determinazione di Polibromodifenileteri nella fase acquosa e nel particolato sospeso in acque superficiali. *Notiziario dei Metodi Analitici IRSA*, 2, 32–40. ISSN: 11252464
- Rousis N., Bade R., Bijlsma L., Zuccato E., Sancho J.V., Hernandez F., Castiglioni S. 2017. Monitoring a large number of pesticides and transformation products in water samples from Spain and Italy 2017. *Environ Res.*, 156: 31–38. DOI: 10.1016/j.envres.2017.03.013
- Rusconi M., Bettinetti R., Polesello S., Stefani F. 2018. Evolutionary toxicology as a tool to assess the ecotoxicological risk in freshwater ecosystems. *Water*, 10(4), art. no. 490. DOI: 10.3390/w10040490
- Rusconi M., Brenna E., Polesello S. 2017. Can the ratio galaxolide-lactone: Galaxolide be a good tracer of wastewater in freshwaters? *Integrated Environmental Assessment and Management*, 13(1): 214–216. DOI: 10.1002/ieam.1852
- Rusconi M., Marziali L., Stefani F., Valsecchi S., Bettinetti R., Mazzoni M., Rosignoli F., Polesello S. 2015. Evaluating the impact of a fluoropolymer plant on a river macrobenthic community by a combined chemical, ecological and genetic approach. *Science of the Total Environment*, 538: 654–663. DOI: 10.1016/j.scitotenv.2015.08.086
- Rusconi M., Patrolecco L., Valsecchi S., Polesello S. 2015. Effectiveness of measures adopted for the reduction of nonylphenol emission in European river basins: A case study of the River Lambro, Northern Italy. *Water Policy*, 17(6): 1176–1190. DOI: 10.2166/wp.2015.012
- Rusconi M., Polesello S., Valsecchi S. 2015. Liquid Chromatography–Mass Spectrometry. for the Analysis of Perfluorinated Compounds in Water Samples. In O. Nunez, H. Gallart-Alaya, C.P. Martins. P. Lucci (Eds). "Fast Liquid Chromatography–Mass Spectrometry Methods in Food and Environmental Analysis". Imperial College Press, London. 485–516. ISBN 978-1-78326-494-0
- Salgueiro-Gonzalez N., Castiglioni S., Zuccato E., Turnes-Carou I., Lopez-Mahia P., Muniatequi Lorenzo S. 2018. Recent advances in analytical methods for the determination of 4-alkylphenols and bisphenol A in solid environmental matrices: A critical review. *Anal Chim Acta*, 1024: 39–51. DOI: 10.1016/j.aca.2018.02.081
- Sarkar S., Binelli A., Riva C., Parolini M., Chatterjee M., Bhattacharya A.K. 2008. Organochlorine pesticide residues in sediment cores of Sunderban wetland, Northeaster part of the Bay of Bengal, India. *Archives of Environmental Contamination and Toxicology*, 55: 358–371. DOI 10.1007/s00244-008-9133-6
- Sarkar S.K., Binelli A., Chatterjee M., Bhattacharya D., Bhattacharya A., Parolini M., Riva C., Godhantaraman N. 2012. Distribution and ecosystem risk assessment of polycyclic aromatic

- hydrocarbons (PAHs) in core sediments of Sundarban mangrove wetland, India. *Polycyclic Aromatic Compounds*, 32: 1-26. DOI: [10.1080/10406638.2011.633592](https://doi.org/10.1080/10406638.2011.633592)
- Stefani F., Rusconi M., Valsecchi S., Marziali L. 2014. Evolutionary ecotoxicology of perfluoralkyl substances (PFASs) inferred from multigenerational exposure: A case study with Chironomus riparius (Diptera, Chironomidae). *Aquatic Toxicology*, 156: 41–51. DOI: [10.1016/j.aquatox.2014.07.020](https://doi.org/10.1016/j.aquatox.2014.07.020)
- Touloupakisa E., Giannoudi L., Piletsky S.A., Guzzella L., Pozzoni F., Giardi M.T. 2005. A multi-biosensor based on immobilized Photosystem II on screen-printed electrodes for the detection of herbicides in river water. *Biosensors and Bioelectronics*, 20: 1984–1992. DOI: [10.1016/j.bios.2004.08.035](https://doi.org/10.1016/j.bios.2004.08.035)
- Tremolada P., Comolli R., Parolini M., Binelli A. 2011. One-Year cycle of DDT concentrations in high-altitude soils. *Water Air & Soil Pollution*, 217: 407–419. DOI: [10.1007/s11270-010-0596-5](https://doi.org/10.1007/s11270-010-0596-5)
- Tremolada P., Guazzoni N., Comolli R., Parolini M., Binelli A. 2015. Polychlorinated biphenyls (PCBs) in air and soil from a high-altitude pasture in the Italian Alps: evidence of CB-209 contamination. *Environmental Science and Pollution Research*, 22: 19571–19583. DOI: [10.1007/s11356-015-5115-1](https://doi.org/10.1007/s11356-015-5115-1)
- Tremolada P., Parolini M., Binelli A., Ballabio C., Comolli R., Provini A. 2009. Preferential retention of POPs on the Northern aspect of mountains. *Environmental Pollution*, 157: 3298–3307. DOI: [10.1016/j.envpol.2009.05.041](https://doi.org/10.1016/j.envpol.2009.05.041)
- Urbatzka R., van Cauwenberge A., Maggioni S., Viganò L., Mandich A., Benfenati E., Lutz I., Kloas W. 2007. Androgenic and antiandrogenic activities in water and sediment samples from the river Lambro, Italy, detected by yeast androgen screen and chemical analyses. *Chemosphere*, 67: 1080–1087. DOI: [10.1016/j.chemosphere.2006.11.041](https://doi.org/10.1016/j.chemosphere.2006.11.041)
- Valsecchi S., Ademollo N., Patrolecco L., Rusconi M., Polesello S. 2017. Contaminant concentrations in bivalve tissues are not necessarily representative of the chemical status of a site- Integrated Environmental Assessment and Management, 13(6): 1123–1124. DOI: [10.1002/ieam.1941](https://doi.org/10.1002/ieam.1941)
- \*Valsecchi S., Babut M., Mazzoni M., Pascariello S., Ferrario C., De Felice B., Bettinetti R., Veyrand B., Marchand P., Polesello S. 2020. Perfluoroalkyl substances (PFAS) in fish from European lakes: current contamination status, sources, and perspectives for monitoring. *Environmental Toxicology and Chemistry*, (accepted for publication)
- Valsecchi S., Conti D., Crebelli R., Polesello S., Rusconi M., Mazzoni M., Preziosi E., Carere M., Lucentini L., Ferretti E., Balzamo S., Simeone M.G., Aste F. 2016. Deriving environmental quality standards for perfluorooctanoic acid (PFOA) and related short chain perfluorinated alkyl acids- J. Hazardous Materials, 323: 84–98. DOI: [10.1016/j.jhazmat.2016.04.055](https://doi.org/10.1016/j.jhazmat.2016.04.055)
- Valsecchi S., Lietti E., Polesello S. 2008. Determinazione di nonilfenolo (4-NP) e di alchilbenzene solfonati lineari (LAS) in acque e in matrici solide ambientali. *IRSA-CNR Notiziario dei Metodi Analitici*, 2008 (2): 2-10. ISSN: [11252464](https://doi.org/10.1007/s11252-008-0002-0)
- Valsecchi S., Polesello S. 2008. I nuovi POP: una classe emergente di contaminanti ambientali. *Laboratorio 2000*, (6): 42-48.
- Valsecchi S., Polesello S., Cavalli S. 2001 Recovery of 4-nonylphenol and 4-nonylphenol ethoxylates from river sediments by pressurised liquid extraction. *J. Chromatography A*, 925(1-2): 297-301. DOI: [10.1016/S0021-9673\(01\)01039-1](https://doi.org/10.1016/S0021-9673(01)01039-1)
- Valsecchi S., Polesello S., Mazzoni M., Rusconi M., Petrovic M. 2015. On-line sample extraction and purification for the LC-MS determination of emerging contaminants in environmental samples. (TrAc) *Trends in Environmental Analytical Chemistry*, 8: 27-37. DOI: [10.1016/j.teac.2015.08.001](https://doi.org/10.1016/j.teac.2015.08.001)
- Valsecchi S., Rusconi M., Mazzoni M., Viviano G., Pagnotta R., Zaghi C., Serrini G., Polesello S. 2015. Occurrence and sources of perfluoroalkyl acids in Italian river basins, *Chemosphere*, 129: 126–134. DOI: [10.1016/j.chemosphere.2014.07.044](https://doi.org/10.1016/j.chemosphere.2014.07.044)
- Valsecchi S., Rusconi M., Polesello S. 2013. Determination of perfluorinated compounds in aquatic organisms: A review. *Analytical and Bioanalytical Chemistry*, 405(1): 143-157. DOI: [10.1007/s00216-012-6492-7](https://doi.org/10.1007/s00216-012-6492-7)

- Viganò L., Roscioli C., Guzzella L. 2011. Decabronodiphenyl Ether (BDE-209) enters the Food Web of the River Po and is Metabolically Debrominated in Resistant Cyprinid Fishes. *Science of the Total Environment*, 409: 4966-6972. DOI: [10.1016/j.scitotenv.2011.07.062](https://doi.org/10.1016/j.scitotenv.2011.07.062)
- Viganò L., Arillo A., Bottero S., Massari A., Mandich A. 2001. First observation of intersex cyprinids in the Po River Italy. *Science of the Total Environment*, 269: 189-194.
- Viganò L., Arillo A., Buffagni A., Camusso M., Ciannarella R., Crosa G., Falugi C., Galassi S., Guzzella L., Lopez A., Mingazzini M., Pagnotta R., Patrolecco L., Tartari G., Valsecchi S. 2003. Quality assessment of bed sediments of the Po River (Italy). *Water Research*, 37: 501–518.
- Viganò L., Benfenati E., Bottero S., Cevasco A., Monteverde M., Mandich A. 2010. Endocrine modulation, inhibition of ovarian development and hepatic alterations in rainbow trout exposed to polluted river water. *Environmental Pollution*, 158: 3675-3683. DOI: [0.1016/j.envpol.2010.07.033](https://doi.org/10.1016/j.envpol.2010.07.033)
- Viganò L., Benfenati E., van Cauwenberge A., Eidem J.K., Erratico C., Goksøyr A., Kloas W., Silvia Maggioni S., Mandich A., Urbatzka R. 2008. Estrogenicity profile and estrogenic compounds determined in river sediments by chemical analysis, ELISA and yeast assays *Chemosphere*, 73: 1078–1089. DOI: [10.1016/j.chemosphere.2008.07.057](https://doi.org/10.1016/j.chemosphere.2008.07.057)
- Viganò L., De Flora S., Gobbi M., Guiso G., Izzotti A., Mandich A., Mascolo G., Roscioli C. 2015. Exposing native cyprinid (*Barbus plebejus*) juveniles to river sediments leads to gonadal alterations, genotoxic effects and thyroid disruption. *Aquatic Toxicology*, 169: 223–239. DOI: [10.1016/j.aquatox.2015.10.022](https://doi.org/10.1016/j.aquatox.2015.10.022)
- Viganò L., Farkas A., Guzzella L., Roscioli C., Erratico C. 2007. The accumulation levels of PAHs, PCBs and DDTs are related in an inverse way to the size of a benthic amphipod (*Echinogammarus stammeri Karaman*) in the River Po. *Science of Total Environment*, 373: 131-145. DOI: [10.1016/j.scitotenv.2006.11.006](https://doi.org/10.1016/j.scitotenv.2006.11.006)
- Viganò L., Mandich A., Benfenati E., Bertolotti R., Bottero S., Porazzi E., Agradi E. 2006. Investigating the Estrogenic Risk Along the River Po and Its Intermediate Section. *Archives of Environmental Contamination and Toxicology*, 51: 641-651. DOI: [10.1007/s00244-005-0129-1](https://doi.org/10.1007/s00244-005-0129-1)
- Viganò L., Mascolo G., Roscioli C. 2015. Emerging and priority contaminants with endocrine active potentials in sediments and fish from the River Po (Italy). *Environ. Sci. Pollut. Res. on-line*. DOI: [10.1007/s11356-015-4388-8](https://doi.org/10.1007/s11356-015-4388-8)
- Viganò L., Roscioli C., Erratico C., Guzzella L. 2008. Polybrominated Diphenyl Ethers (PBDEs) and polychlorinated biphenyls (PCBs) in o+ juvenile cyprinids and sediments of the Po River. *Archives of Environmental Contamination and Toxicology*, 55: 282-294. DOI: [10.1007/s00244-007-9130-1](https://doi.org/10.1007/s00244-007-9130-1)
- Viganò L., Roscioli C., Erratico C., Guzzella L., Farkas A. 2009. Natural molecule coatings modify the fate of cerium dioxide nanoparticles in water and their ecotoxicity to *Daphnia magna*, Caddisflies, and Bed Sediments of the Lowland River Po. *Bulletin of Environmental Contamination and Toxicology*, 82: 200-205. DOI: [10.1007/s00128-008-9605-4](https://doi.org/10.1007/s00128-008-9605-4)
- Viganò L., Roscioli C., Erratico C., Guzzella L., Farkas A. 2009. Polybrominated Diphenyl Ethers (PBDEs) in Gammarids, Caddisflies, and Bed Sediments of the Lowland River Po. *Bull Environ. Contam. Toxicol.*, 82: 200–205. DOI: [10.1007/s00128-008-9605-4](https://doi.org/10.1007/s00128-008-9605-4)
- Viganò L., Roscioli C., Guzzella L. 2011. Decabromodiphenyl ether (BDE-209) enters the food web of the River Po and is metabolically debrominated in resident cyprinid fishes. *Science of the Total Environment*, 409: 4966–4972. DOI: [10.1016/j.scitotenv.2011.07.062](https://doi.org/10.1016/j.scitotenv.2011.07.062)
- Viganò L., Arillo A., Aurigi S., Corsi L., Focardi S. 2000. Concentrations of PCBs, DDTs, and TCDD Equivalents in Cyprinids of the Middle Po River, Italy. *Archives of Environmental Contamination and Toxicology*, 38: 209–216. DOI: [10.1007/s002449910028](https://doi.org/10.1007/s002449910028)
- Viviano G., Salerno F., Manfredi E.C., Polesello S., Valsecchi S., Tartari G. 2014. Surrogate measures for providing high frequency estimates of total phosphorus concentrations in urban watersheds. *Water Research*, 64: 265-277. DOI: [10.1016/j.watres.2014.07.009](https://doi.org/10.1016/j.watres.2014.07.009)
- Viviano G., Valsecchi S., Polesello S., Capodaglio A., Tartari G., Salerno F. 2017. Combined Use of Caffeine and Turbidity to Evaluate the Impact of CSOs on River Water Quality. *Water, Air, and Soil Pollution*, 228(9), art. no. 330, DOI: [10.1007/s11270-017-3505-3](https://doi.org/10.1007/s11270-017-3505-3)

- Wernersson A.-S., Carere M., Maggi C., Tusil P., Soldan P., James A., Sanchez W., Dulio V., Broeg K., Reifferscheid G., Buchinger S., Maas H., Van Der Grinten E., O'Toole S., Ausili A., Manfra L., Marziali L., Polesello S., Lacchetti I., Mancini L., Lilja K., Linderoth M., Lundeberg T., Fjällborg B., Porsbring T., Larsson D.G.J., Bengtsson-Palme J., Förlin L., Kienle C., Kunz P., Vermeirissen E., Werner I., Robinson C.D., Lyons B., Katsiadaki I., Whalley C., den Haan K., Messiaen M., Clayton H., Lettieri T., Carvalho R.N., Gawlik B.M., Hollert H., Di Paolo C., Brack W., Kamann U., Kase R. 2015. The European technical report on aquatic effect-based monitoring tools under the water framework directive, Environmental Sciences Europe, 27(1): 1-11. DOI: [10.1186/s12302-015-0039-4](https://doi.org/10.1186/s12302-015-0039-4)
- Zanoletti A., Federici S., Borgese L., Bergese P., Ferroni M., Depero L.E., Bontempi E. 2017. Embodied energy as key parameter for sustainable materials selection: the case of reusing coal fly ash for removing anionic surfactants, J. Cleaner Production, 141: 230-236. DOI: [10.1016/j.jclepro.2016.09.070](https://doi.org/10.1016/j.jclepro.2016.09.070)
- Zanoletti A., Vassura I., Venturini E., Monai M., Montini T., Federici S., Zacco A., Treccani L., Bontempi E. 2018. A new porous hybrid material derived from silica fume and alginate for sustainable pollutants reduction. Frontiers in Chemistry, 6, art. 60. DOI: [10.3389/fchem.2018.00060](https://doi.org/10.3389/fchem.2018.00060).
- Zoppini A., Ademollo N., Amalfitano S., Casella P., Patrolecco L., Polesello S. 2014. Organic priority substances and microbial processes in river sediments subject to contrasting hydrological conditions, Science of the Total Environment, 484(1): 74-83. DOI: [10.1016/j.scitotenv.2014.03.019](https://doi.org/10.1016/j.scitotenv.2014.03.019)
- Zuccato E., Marziali L., Natangelo M., Fanelli R. 2000. Presence of Therapeutic Drugs in the Environment. Lancet, 355 (9217): 1789-1790.
- Zuccato E., Castiglioni S. 2009. Illicit drugs in the environment. Philos. Transact. A Math. Phys. Eng. Sci., 367: 3965-3978. DOI: [10.1098/rsta.2009.0107](https://doi.org/10.1098/rsta.2009.0107)
- Zuccato E., Castiglioni S., Bagnati R., Chiabrando C., Grassi P., Fanelli R. 2008. Illicit drugs, a novel group of environmental contaminants. Water Research, 42: 961-968. DOI: [10.1016/j.watres.2007.09.010](https://doi.org/10.1016/j.watres.2007.09.010)
- Zuccato E., Castiglioni S., Bagnati R., Melis M., Fanelli R. 2010. Source, occurrence and fate of antibiotics in the Italian aquatic environment. J. Hazardous Materials, 179: 1042-1048. DOI: [10.1016/j.jhazmat.2010.03.110](https://doi.org/10.1016/j.jhazmat.2010.03.110)
- Zuccato E., Castiglioni S., Fanelli R. 2005. Identification of the pharmaceuticals for human use contaminating the Italian aquatic environment. J. Hazardous Materials, 122: 205-209. DOI: [10.1016/j.jhazmat.2005.03.001](https://doi.org/10.1016/j.jhazmat.2005.03.001)
- Zuccato E., Castiglioni S., Fanelli R., Reitano G., Bagnati R., Chiabrando C., Pomati F., Rossetti C., Calamari D. 2006. Pharmaceuticals in the environment in Italy: Causes, occurrence, effects and control. Environ. Sci. Poll. Res., 13: 15-21. DOI: [10.1065/espr2006.01.004](https://doi.org/10.1065/espr2006.01.004)

Raccolta chiusa il 30 aprile 2020